




AP[®] Physics B 2001 Sample Student Responses

The materials included in these files are intended for non-commercial use by AP teachers for course and exam preparation; permission for any other use must be sought from the Advanced Placement Program. Teachers may reproduce them, in whole or in part, in limited quantities, for face-to-face teaching purposes but may not mass distribute the materials, electronically or otherwise. These materials and any copies made of them may not be resold, and the copyright notices must be retained as they appear here. This permission does not apply to any third-party copyrights contained herein.

These materials were produced by Educational Testing Service (ETS), which develops and administers the examinations of the Advanced Placement Program for the College Board. The College Board and Educational Testing Service (ETS) are dedicated to the principle of equal opportunity, and their programs, services, and employment policies are guided by that principle.

The College Board is a national nonprofit membership association dedicated to preparing, inspiring, and connecting students to college and opportunity. Founded in 1900, the association is composed of more than 3,900 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 22,000 high schools, and 3,500 colleges, through major programs and services in college admission, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT[®], the PSAT/NMSQT[™], the Advanced Placement Program[®] (AP[®]), and Pacesetter[®]. The College Board is committed to the principles of equity and excellence, and that commitment is embodied in all of its programs, services, activities, and concerns.

Copyright © 2001 by College Entrance Examination Board. All rights reserved. College Board, Advanced Placement Program, AP, and the acorn logo are registered trademarks of the College Entrance Examination Board.



Arrangement 1

3. (15 points)

Four charged particles are held fixed at the corners of a square of side s . All the charges have the same magnitude Q , but two are positive and two are negative. In Arrangement 1, shown above, charges of the same sign are at opposite corners. Express your answers to parts (a) and (b) in terms of the given quantities and fundamental constants.

(a) For Arrangement 1, determine the following.


i. The electrostatic potential at the center of the square

$$\begin{aligned}
 V &= \sum \frac{1}{4\pi\epsilon_0} \frac{q_k}{r} \Rightarrow r = \frac{s\sqrt{2}}{2} \\
 &= \sum \frac{1}{4\pi\epsilon_0} \left[\left(\frac{-Q}{\frac{s\sqrt{2}}{2}} \right) \cdot 2 + \left(\frac{Q}{\frac{s\sqrt{2}}{2}} \right) \cdot 2 \right] \\
 &= 0
 \end{aligned}$$

ii. The magnitude of the electric field at the center of the square

0. Since the electric field due to $+Q$ and $+Q$ cancel, $-Q$ and the electric field due to $-Q$ and $-Q$ cancel, the electric field is zero

GO ON TO THE NEXT PAGE.



Arrangement 2

The bottom two charged particles are now switched to form Arrangement 2, shown above, in which the positively charged particles are on the left and the negatively charged particles are on the right.

(b) For Arrangement 2, determine the following.

i. The electrostatic potential at the center of the square

$$\begin{aligned}
 V &= \sum \frac{kQ}{r} \Rightarrow r = \frac{s\sqrt{2}}{2} \\
 &= \sum k \cdot \left(\frac{+2Q}{r} + \frac{-2Q}{r} \right) \\
 &= 0
 \end{aligned}$$

ii. The magnitude of the electric field at the center of the square

$$\begin{aligned}
 E &= \frac{F}{q} = \left(2 \frac{kQ}{r^2} \cos \theta \right) 2 \quad \begin{array}{l} r = \frac{s\sqrt{2}}{2} \\ \theta = 45^\circ \end{array} \\
 &= 4 \frac{kQ}{\left(\frac{s\sqrt{2}}{2} \right)^2} \cdot \frac{\sqrt{2}}{2} = \frac{2\sqrt{2} kQ \cdot 4}{s^2} \\
 &= \boxed{4\sqrt{2} kQ / s^2}
 \end{aligned}$$


(c) In which of the two arrangements would more work be required to remove the particle at the upper right corner from its present position to a distance a long way away from the arrangement?

☒ Arrangement 1 ☐ Arrangement 2

Justify your answer.

Since the positive Q charges are closer to the $-Q$ at the right corner for arrangement #1, they attract more. Also, $-Q$ is farther too. These forces are more significant, so the external work to separate them is greater.

GO ON TO THE NEXT PAGE.



$$s^2 + s^2 = d^2$$

$$d^2 = 2s^2$$

$$d = \sqrt{2}s$$

$$r = \frac{\sqrt{2}s}{2}$$

$$\frac{d}{2} = r$$

3. (15 points)

Four charged particles are held fixed at the corners of a square of side s . All the charges have the same magnitude Q , but two are positive and two are negative. In Arrangement 1, shown above, charges of the same sign are at opposite corners. Express your answers to parts (a) and (b) in terms of the given quantities and fundamental constants.

(a) For Arrangement 1, determine the following.

i. The electrostatic potential at the center of the square

$$V = \frac{kQ_1}{R} + \frac{kQ_2}{R} + \frac{kQ_3}{R} + \frac{kQ_4}{R} = \frac{kQ_1}{\frac{\sqrt{2}s}{2}} + \frac{kQ_2}{\frac{\sqrt{2}s}{2}} - \frac{kQ_3}{\frac{\sqrt{2}s}{2}} + \frac{kQ_4}{\frac{\sqrt{2}s}{2}} =$$

no vectors


$$-\frac{2kQ}{\frac{\sqrt{2}s}{2}} + \frac{2kQ}{\frac{\sqrt{2}s}{2}} - \frac{2kQ}{\frac{\sqrt{2}s}{2}} + \frac{2kQ}{\frac{\sqrt{2}s}{2}} = 0$$

ii. The magnitude of the electric field at the center of the square

vectors

$$E = \frac{kQ_1}{R^2} - \frac{kQ_2}{R^2} + \frac{kQ_3}{R^2} - \frac{kQ_4}{R^2} = 0$$

GO ON TO THE NEXT PAGE.



Arrangement 2

The bottom two charged particles are now switched to form Arrangement 2, shown above, in which the positively charged particles are on the left and the negatively charged particles are on the right.

(b) For Arrangement 2, determine the following.

i. The electrostatic potential at the center of the square

$$U = \frac{-kQ}{\frac{\sqrt{2}s}{2}} + \frac{kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}} + \frac{kQ}{\frac{\sqrt{2}s}{2}} = 0$$

ii. The magnitude of the electric field at the center of the square

$$E = \frac{kQ}{r^2} = \frac{kQ}{\left(\frac{\sqrt{2}s}{2}\right)^2} + \frac{kQ}{\left(\frac{\sqrt{2}s}{2}\right)^2} + \frac{kQ}{\left(\frac{\sqrt{2}s}{2}\right)^2} + \frac{kQ}{\left(\frac{\sqrt{2}s}{2}\right)^2} = \frac{2kQ}{s^2} + \frac{2kQ}{s^2} + \frac{2kQ}{s^2} + \frac{2kQ}{s^2} = \frac{8kQ}{s^2} \checkmark$$

$r = \frac{\sqrt{2}s}{2}$

(c) In which of the two arrangements would more work be required to remove the particle at the upper right corner from its present position to a distance a long way away from the arrangement?

☒ Arrangement 1 ☐ Arrangement 2

Justify your answer.

$$W = U = \frac{kQ}{r}$$

an 1 $W = \frac{kQ}{s} + \frac{kQ}{s} - \frac{kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}} = \frac{\sqrt{2}kQ}{\frac{\sqrt{2}s}{2}} + \frac{\sqrt{2}kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}} = \frac{1.83kQ}{\frac{\sqrt{2}s}{2}} \leftarrow \text{bigger } U$

an 2 $W = \frac{kQ}{s} - \frac{kQ}{s} + \frac{kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}} + \frac{kQ}{\frac{\sqrt{2}s}{2}} - \frac{kQ}{\frac{\sqrt{2}s}{2}}$

GO ON TO THE NEXT PAGE.