



AP[®] Physics B 1999 Sample Student Responses

The materials included in these files are intended for non-commercial use by AP teachers for course and exam preparation; permission for any other use must be sought from the Advanced Placement Program. Teachers may reproduce them, in whole or in part, in limited quantities, for face-to-face teaching purposes but may not mass distribute the materials, electronically or otherwise. These materials and any copies made of them may not be resold, and the copyright notices must be retained as they appear here. This permission does not apply to any third-party copyrights contained herein.

These materials were produced by Educational Testing Service (ETS), which develops and administers the examinations of the Advanced Placement Program for the College Board. The College Board and Educational Testing Service (ETS) are dedicated to the principle of equal opportunity, and their programs, services, and employment policies are guided by that principle.

The College Board is a national nonprofit membership association dedicated to preparing, inspiring, and connecting students to college and opportunity. Founded in 1900, the association is composed of more than 3,900 schools, colleges, universities, and other educational organizations. Each year, the College Board serves over three million students and their parents, 22,000 high schools, and 3,500 colleges, through major programs and services in college admission, guidance, assessment, financial aid, enrollment, and teaching and learning. Among its best-known programs are the SAT[®], the PSAT/NMSQT[™], the Advanced Placement Program[®] (AP[®]), and Pacesetter[®]. The College Board is committed to the principles of equity and excellence, and that commitment is embodied in all of its programs, services, activities, and concerns.

Copyright © 2001 by College Entrance Examination Board. All rights reserved. College Board, Advanced Placement Program, AP, and the acorn logo are registered trademarks of the College Entrance Examination Board.


2. (15 points)

In a television set, electrons are first accelerated from rest through a potential difference in an electron gun. They then pass through deflecting plates before striking the screen.

- (a) Determine the potential difference through which the electrons must be accelerated in the electron gun in order to have a speed of 6.0×10^7 m/s when they enter the deflecting plates.

$$\begin{aligned}
 E_0 &= E_f \\
 PE_0 + KE_0 &= KE_f + PE_f \\
 PE_0 &= KE_f \\
 qV &= \frac{1}{2}mv_f^2 \\
 V &= \frac{m v_f^2}{2q} \\
 V &= \frac{(9.11 \times 10^{-31} \text{ kg})(6.0 \times 10^7 \text{ m/s})^2}{2(1.6 \times 10^{-19} \text{ C})} \\
 V &= 10249.75 \text{ Volts} \\
 V &= 1.0 \times 10^4 \text{ Volts}
 \end{aligned}$$

The pair of horizontal plates shown below is used to deflect electrons up or down in the television set by placing a potential difference across them. The plates have length 0.04 m and separation 0.012 m, and the right edge of the plates is 0.50 m from the screen. A potential difference of 200 V is applied across the plates, and the electrons are deflected toward the top of the screen. Assume that the electrons enter horizontally midway between the plates with a speed of 6.0×10^7 m/s and that fringing effects at the edges of the plates and gravity are negligible.



Note: Figure not drawn to scale.

- (b) Which plate in the pair must be at the higher potential for the electrons to be deflected upward? Check the appropriate box below.

☒ Upper plate

☐ Lower plate

Justify your answer.

Since electrons are attracted to positive charges and since by convention current flows from "+" to "-", which places positive charges at a higher potential, the upper plate must be positive and therefore at a higher potential.

GO ON TO THE NEXT PAGE

- (c) Considering only an electron's motion as it moves through the space between the plates, compute the following.

In x dir:

$$V_0 = 6 \times 10^7 \text{ m/s}$$

$$V_f = 6 \times 10^7 \text{ m/s}$$

$$t = ?$$

$$a = 0$$

$$\Delta x = 10^{-4} \text{ m}$$

- i. The time required for the electron to move through the plates

$$\Delta x = V_0 t + \frac{1}{2} a t^2$$

$$\frac{\Delta x}{V_0} = t$$

$$t = \frac{10^{-4} \text{ m}}{6 \times 10^7 \text{ m/s}}$$

$$t = 6.7 \times 10^{-10} \text{ s}$$

y-dir:

$$F = E q_0$$

$$V = E d$$

$$\frac{V}{d} = E$$

$$F = \frac{V q_0}{d}$$

- ii. The vertical displacement of the electron while it is between the plates

$$\Sigma F_y = m a$$

$$\frac{V q_0}{d} = m a$$

$$a = \frac{V q_0}{m d}$$

$$a = \frac{(200 \text{ V})(1.6 \times 10^{-19} \text{ C})}{(9.11 \times 10^{-31} \text{ kg})(0.012 \text{ m})}$$

$$a = 2.927 \times 10^{15} \text{ m/s}^2$$

$$V_0 = 0$$

$$\Delta x = ?$$

$$t = 6.7 \times 10^{-10} \text{ s}$$

$$\Delta x = V_0 t + \frac{1}{2} a t^2$$

$$\Delta x = \frac{1}{2} (2.927 \times 10^{15} \text{ m/s}^2) (6.7 \times 10^{-10} \text{ s})^2$$

$$\Delta x = 6.57 \times 10^{-4} \text{ m}$$

$$\Delta x = 6.6 \times 10^{-4} \text{ m}$$

- (d) Show why it is a reasonable assumption to neglect gravity in part (c).

The force provided by the potential difference is much much greater than the gravitational force exerted on an electron.

$$\frac{V q_0}{d} \gg m g$$

$$2.6 \times 10^{-15} \text{ N} \gg 8.9278 \times 10^{-30} \text{ N}$$

- (e) Still neglecting gravity, describe the path of the electrons from the time they leave the plates until they strike the screen. State a reason for your answer.

After the electrons leave the plates, there are no more substantial forces acting on them. This provides for no acceleration as described in #1)d). Since there is no acceleration, the electrons will follow a straight path at the angle formed during the time spent between the plates.
(See diagram)

GO ON TO THE NEXT PAGE


2. (15 points)

In a television set, electrons are first accelerated from rest through a potential difference in an electron gun. They then pass through deflecting plates before striking the screen.

- (a) Determine the potential difference through which the electrons must be accelerated in the electron gun in order to have a speed of 6.0×10^7 m/s when they enter the deflecting plates.

$$\begin{aligned}
 U_e &= KE \\
 qV &= \frac{1}{2}mv^2 \\
 V &= \frac{m(6.0 \times 10^7)^2}{2q} \\
 V &= \frac{(9.11 \times 10^{-31})(6 \times 10^7)^2}{2(1.6 \times 10^{-19})} = \boxed{10,248 \text{ V}}
 \end{aligned}$$

The pair of horizontal plates shown below is used to deflect electrons up or down in the television set by placing a potential difference across them. The plates have length 0.04 m and separation 0.012 m, and the right edge of the plates is 0.50 m from the screen. A potential difference of 200 V is applied across the plates, and the electrons are deflected toward the top of the screen. Assume that the electrons enter horizontally midway between the plates with a speed of 6.0×10^7 m/s and that fringing effects at the edges of the plates and gravity are negligible.



Note: Figure not drawn to scale.

- (b) Which plate in the pair must be at the higher potential for the electrons to be deflected upward? Check the appropriate box below.

☒ Upper plate

☐ Lower plate

Justify your answer.

Because the upper plate must be positive to attract electron. So a positive charge would have higher potential if placed next to the upper plate. So upper plate must be at a higher potential.

GO ON TO THE NEXT PAGE

- (c) Considering only an electron's motion as it moves through the space between the plates, compute the following.

- i. The time required for the electron to move through the plates

$$S = V_0 t$$

$$\frac{0.04}{6 \times 10^7} = t$$

$$\boxed{6.67 \times 10^{-10} \text{ s}} = t$$

- ii. The vertical displacement of the electron while it is between the plates

$$E = \frac{V}{d}$$

$$E = \frac{200}{0.012}$$

$$E = 1.67 \times 10^4$$

$$F = qE = ma$$

$$\frac{1.6 \times 10^{-19} \times 1.67 \times 10^4}{9.11 \times 10^{-31}} = a$$

$$2.9 \times 10^{15} = a$$

$$S_y = \frac{1}{2} a t^2$$

$$S_y = \frac{1}{2} (2.9 \times 10^{15}) (6.67 \times 10^{-10})^2$$

$$S_y = 6.52 \times 10^{-4} \text{ m} = \frac{1}{2} (0.012) = \boxed{6.65 \times 10^{-3}}$$

- (d) Show why it is a reasonable assumption to neglect gravity in part (c).

because the mass of electron is so small.

$$S = 0.04$$

$$a = 2.9 \times 10^{15}$$

$$V_0 = 6 \times 10^7$$

$$S = V_0 t + \frac{1}{2} a t^2$$

$$0.04 = 6 \times 10^7 t + \frac{1}{2} 2.9 \times 10^{15} t^2$$

$$46 \times 10^{15} t^2 + 6 \times 10^7 t - 0.04 = 0$$


$$-6 \times 10^7 \pm \sqrt{(6 \times 10^7)^2 + 4(46 \times 10^{15})(0.04)}$$

$$\frac{-6 \times 10^7 \pm \sqrt{3.6 \times 10^{15} + 7.36 \times 10^{15}}}{2(46 \times 10^{15})}$$

$$\frac{0.19}{2(46 \times 10^{15})} = t$$

$$\boxed{t = 6.5 \times 10^{-17} \text{ s}}$$

- (e) Still neglecting gravity, describe the path of the electrons from the time they leave the plates until they strike the screen. State a reason for your answer.



The velocity is constant because there are no acting forces on the electron. Speed & direction of electron is constant.

GO ON TO THE NEXT PAGE

2. (15 points)

In a television set, electrons are first accelerated from rest through a potential difference in an electron gun. They then pass through deflecting plates before striking the screen.


- (a) Determine the potential difference through which the electrons must be accelerated in the electron gun in order to have a speed of 6.0×10^7 m/s when they enter the deflecting plates.

$$qV = \frac{1}{2}mv^2 \quad (1.6 \times 10^{-19})(V) = \frac{1}{2}(9.11 \times 10^{-31})(6.0 \times 10^7)^2$$

$$V = \frac{1.6398 \times 10^{-15}}{1.6 \times 10^{-19}} = 10248.75 \text{ Volts}$$

(significant digits) ≈ 10000 Volts

The pair of horizontal plates shown below is used to deflect electrons up or down in the television set by placing a potential difference across them. The plates have length 0.04 m and separation 0.012 m, and the right edge of the plates is 0.50 m from the screen. A potential difference of 200 V is applied across the plates, and the electrons are deflected toward the top of the screen. Assume that the electrons enter horizontally midway between the plates with a speed of 6.0×10^7 m/s and that fringing effects at the edges of the plates and gravity are negligible.



Note: Figure not drawn to scale.

- (b) Which plate in the pair must be at the higher potential for the electrons to be deflected upward? Check the appropriate box below.

☐ Upper plate

☒ Lower plate

Justify your answer.

Because the charge of an electron is negative, it would be repelled by a negative plate and attracted to the positive plate. So if the electron hits the top of the screen it must be repelled by the bottom plate (negative) and attracted to the top plate (positive).

GO ON TO THE NEXT PAGE

- (c) Considering only an electron's motion as it moves through the space between the plates, compute the following.

- i. The time required for the electron to move through the plates

$$\begin{aligned}
 S &= vit \\
 .04 &= 6.0 \times 10^7 t \\
 t &= 6.667 \times 10^{-10} \\
 &\approx 6.7 \times 10^{-10}
 \end{aligned}$$

- ii. The vertical displacement of the electron while it is between the plates

$$E = \frac{V}{d} \quad F = qE$$

$$E = \frac{10000}{.012} = 8.33333 \times 10^5$$

$$F = Eq = (8.3 \times 10^5)(1.6 \times 10^{-19}) = 1.3 \times 10^{-13}$$

$$F = ma \quad \frac{1.3 \times 10^{-13}}{9.11 \times 10^{-31}} = a = 1.4636 \times 10^{17}$$

$$S = \frac{1}{2} at^2$$

$$S = .033 \text{ meters}$$

- (d) Show why it is a reasonable assumption to neglect gravity in part (c).

because of the extremely large acceleration of the electron, the effect of gravity would be neglected anyway because only the first two digits (in this problem) are the significant digits.

- (e) Still neglecting gravity, describe the path of the electrons from the time they leave the plates until they strike the screen. State a reason for your answer.

The electron would follow a parabolic path upwards between the plates. Once it leaves the plates the electron would go at a constant velocity and a linear path towards the screen.